


# Health Net's Preventive Screening Guidelines

**GUIDELINES FOR CHILDREN AND ADULTS** 





Use this guide to help remind you to schedule well-care visits with your family doctor. Always seek and follow the care and advice of your doctor because these guidelines are updated regularly and may change.

This information is not medical advice and does not mean specific benefit coverage. Please check your plan benefit language for coverage, limitations and exclusions.

### Helping you stay healthy

For more information or detailed guidelines, visit **www.healthnet.com** or call one of the numbers below.

### Health Net Medi-Cal members:

- Health Education Information Line: Call 800-804-6074 (TTY: 711), Monday–Friday 9 a.m. to 5 p.m. for free health education materials and resources. You can get information about our stop smoking program, weight control programs and much more. Health education materials are available in different languages and alternative formats upon request.
- For questions about your Medi-Cal benefits: 800-675-6110 (TTY: 711), 24 hours a day, 7 days a week.

Wasaina	At		Age (in months)							Age (in years)				
Vaccine	birth	1	2	4	6	9	12	15	18	19-23	2-3	4	5	6
Hepatitis B (HepB)	~	٧	/	Catch up if needed	<b>✓</b> Ca			atch up if needed						
Rotavirus (RV)			<b>/</b>	<b>V</b>	<b>/</b>									
Diphtheria, tetanus, pertussis (DTaP)			<b>/</b>	<b>/</b>	~	Catch if need		•	/	Catcl if nee			<b>V</b>	
Haemophilus influenzae type b (Hib)			<b>/</b>	<b>/</b>	~	Catch up if needed	V	/	Cat	tch up i	f need	ded	_	-risk ups
Pneumococcal			<b>/</b>	<b>/</b>	~	Catch up if needed	١	/	Cat	tch up i	f need	ded		-risk ups
Inactivated poliovirus (IPV)			<b>V</b>	<b>/</b>		<b>V</b>	•			Catcl if nee			<b>/</b>	
Influenza (flu)								V	Year	ly				
Measles, mumps, rubella (MMR)					High- risk groups		•			Catch u f neede			<b>V</b>	
Varicella (VAR)							V			Catch u f neede			<b>V</b>	
Hepatitis A (HepA)								<b>V</b> 2	dose	S		gests,	ur doo , high- ups	
Meningococcal			✓ High-risk groups											

**Catch up if needed:** If you have missed your shot(s) in the past, you can talk to your doctor about getting this shot at this time.

**High-risk groups:** Check with your doctor to see if you need this shot.

Vasaina	Age (in years)					
Vaccine	7–10	11–12	13-18			
Tetanus, diphtheria, pertussis (Tdap)	Catch up if needed	✓ 1 dose	Catch up if needed			
Human papillomavirus (HPV)	High-risk groups	✓ As your doctor suggests	Catch up if needed			
Influenza (flu)	<b>✓</b> Yearly					
Pneumococcal	High-risk groups					
Hepatitis A (HepA)	As your doctor suggests, high-risk groups					
Hepatitis B (HepB)	Catch up if needed					
Inactivated poliovirus (IPV)		Catch up if needed				
Measles, mumps, rubella (MMR)	Catch up if needed					
Varicella (VAR)	Catch up if needed					
Haemophilus influenzae type b (Hib)	High-risk groups					
Meningococcal	High-risk groups	✓ 1 dose	Catch-up if needed booster at age 16			
Meningococcal B	High-risk groups, ages 10–18 years					

**Catch up if needed:** If you have missed your shot(s) in the past, you can talk to your doctor about getting this shot at this time.

**High-risk groups:** Check with your doctor to see if you need this shot.



Service	Age (in months)							Age (in years)		
Service	Birth-6	9	12	15	18	19-36	3-10	11–12	13-18	
Routine health exam	At birth, 3–5 days, and at 1, 2, 4, and 6 months	Every 3 months			Every 6 months	Every year				
Lead testing	Starting at 6 months, check during routine health exams. Test at 12 months and 24 months or as your doctor suggests.									
Dental visit		Every 6–12 months, or as your dentist suggests								
Blood test	Once between 0-2 months	Check at 4 and 12 months, and during routine health exam if high risk or as your doctor suggests								
Body mass index (BMI)		Starting at age 2, check BM routine health exam			I during					

# Recommended immunization (shots) Schedule for adults<sup>1,2</sup>

	Age (in years)						
Vaccine	19-26	27-49	50-59	60-64	65 and over		
Tetanus, diphtheria, pertussis (Td/Tdap)	✓ 1 dose Tdap, then boost with Td every 10 years						
Human papillomavirus (HPV)	As your doctor suggests	If high risk or as your doctor suggests					
Varicella (VAR)	✓ 2 doses						
Zoster	✓ 2 doses RZV starting at age 50 or 1 dose ZVL starting at age 60						
Measles, mumps, rubella (MMR)	✓ 1 or 2 doses or as your doctor suggests						
Influenza (flu)	✓ Every year						
Pneumococcal (PPSV 23 or PCV 13)	If high risk or as your doctor suggests 🗸 1 do						
Hepatitis A (HepA)	2 or 3 doses if high risk or as your doctor suggests						
Hepatitis B (HepB)	3 doses if high risk or as your doctor suggests						
Haemophilus influenzae type b (Hib)	1 or 3 doses if high risk or as your doctor suggests						
Meningococcal	1 or more doses if high risk or as your doctor suggests			ggests			
Meningococcal B	2 or 3 doses if high risk or as your doctor suggests						

**High-risk groups:** Check with your doctor to see if you need this shot.

Samiaa	Age (in years)					
Service	19-39	40-64	65 and over			
Routine health exam	Every year					
Hearing screening to check for hearing loss		As your doc	As your doctor suggests			
Vision screening to check for eye problems	Every 2–4 years for ages 40–54; every 1–3 years for ages 55–64		Every 1–2 years			
Aspirin therapy to prevent heart disease	Discuss with your doctor in routine health exam					
Blood pressure to check for high blood pressure	Every 1–2 years					
Body mass index (BMI) to check for obesity	Check during routine health exams					
Cholesterol screening to check for blood fats	As your doctor suggests  If at increased risk, check every 5 years starting at age 35 for men and age 45 for women					
Colorectal cancer screening to check for colorectal cancer		For ages 40–49, as your doctor suggests.  Beginning at age 50, talk to your doctor about how often and what test to be done				
Glucose screening to check for blood sugar	Check if high risk Every 3 years or as your doctor suggests					
Human immunodeficiency virus (HIV)	One-time screening, repeat screening if at high risk  As your doctor so					
Dental	Every 6 months					
Hepatitis C and hepatitis B	Screen if high risk or as your doctor suggests					





Service	Age (in years)					
Service	19-39 40-64 65					
Pelvic exam with Pap test to check for cervical cancer	For sexually active non-p at age 21, screen every 3 screen every 3–5 years of	As your doctor suggests				
Mammogram to check for breast cancer	Check every year starting at age 35 Every 1–2 years or as yo if high risk		your doctor suggests			
Breast exam by doctor	Every 1–3 years Every year					
Self breast exam/breast self-awareness to check for breast changes		Monthly				
Chlamydia screening to check for Chlamydia, a sexually transmitted disease		on-pregnant people; nigh risk				
Bone density test to check for bone loss		Screening based on risk	Every 2 years			



## Recommended health screenings (tests) Schedule for men<sup>1,2</sup>

Comico	Age (in years)					
Service	19-39	40-64	65 and older			
Prostate-specific antigen (PSA/DRE) to check for prostate cancer		As your doc	tor suggests			
Abdominal ultrasound to check for abdominal aortic aneurysm (swelling of a large blood vessel around the stomach area)			Once, for those ages 65–75 who have ever smoked or have risks			
Testicles self-exam	As your doctor suggests					

<sup>1</sup>These guidelines may change. Please speak with your doctor.

<sup>2</sup>Doctor should follow proper series and current guidelines by the Centers for Disease Control and Prevention (CDC), US Preventive Services Task Force (USPSTF), and American Academy of Pediatrics (AAP).

<sup>3</sup>Routine health exams, counseling and education for children and adolescents should include measuring the patient's height, weight and blood pressure. Exams should also include body mass index (BMI), along with vision and hearing tests. Counseling and education could include, but are not limited to:

- Contraception/family planning
- Critical congenital heart defect, heart health
- Dental health
- Developmental/behavioral assessment
- Injury/violence prevention
- Mental health, e.g., depression/ eating disorders
- Nutrition/exercise
- Sexually transmitted infections (STIs) and HIV screening
- Substance abuse, e.g., alcohol and drug abuse prevention
- Tobacco use and smoking cessation
- Tuberculosis (TB) screening
- · Weight management

<sup>4</sup>Routine health exams, counseling and education for adults should include measuring the patient's height, weight, blood pressure, body mass index (BMI), vision and hearing tests, depression, and screening for alcohol or drug use. Recommendations vary based on history and risk factors. Counseling and education could include:

- Cancer screenings, e.g., lung cancer screening and BRCA risk assessment
- Contraception/prepregnancy
- Dental health
- Drug prevention/Cessation
- Family planning

- Heart health, electrocardiogram (ECG) screening
- Injury/violence prevention
- · Maternity planning
- Menopause
- Mental health, e.g., depression/ eating disorders
- Nutrition/exercise

- Sexual practices, sexually transmitted infections (STIs) and HIV screening
- Substance abuse, e.g., alcohol and drug abuse prevention
- Tobacco use and smoking cessation
- Tuberculosis (TB) screening
- Weight management

This information is not intended as a substitute for professional medical care. Please always follow your health care provider's instructions. Programs and services are subject to change.

Health Net of California, Inc. and Health Net Community Solutions, Inc. are subsidiaries of Health Net, LLC. Health Net is a registered service mark of Health Net, LLC. All rights reserved.